

# Stainless Steel High Speed Hand Dryer

## Usage and Installation Manual



### WARNING

- Do not open the front panel once installed.
- Do not allow the unit to get excessively wet.
- Do not modify and disassemble the unit unnecessarily.
- Do not allow children to hang from the unit.
- Use a single-phase AC 220V-240V/50Hz power supply.

1. This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities if lack of experience and knowledge if they have been given supervision or instruction concerning used of the appliance in a safe way and understand the hazards involved. Children shall not play with the appliance. Cleaning and user maintenance shall not be made by children without supervision.
2. This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
3. Children should be supervised to ensure that they do not play with the appliance.
4. If the supply cord is damaged, it must be replaced by the manufacturer, its service agent or a similarly qualified person in order to avoid a hazard.

Ensure the unit is properly grounded / earthed.

Installation work should be carried out by a qualified electrician.

Be sure to install a residual current circuit break (RCD)


Do not use in the following places:

- Where the ambient temperature is below -10°C or above 40°C
- Where the unit may come into direct contact with water.
- Where the unit is under direct or strong sunlight.
- Where condensation may form within the unit.

### Installation

Do not install in the following types of location, otherwise this may cause malfunction:

- Locations where the temperature can exceed -10 °C or 40 °C.
- Locations where the unit may come into direct contact with water.
- Locations where the unit is under direct of strong sunlight
- Locations where there is a lot of condensation.
- Locations where corrosive, neutral, or reductive gases are present.
- Places lower than 0m or higher than 2000m above sea level



### USE

- 1 Letting the palm of the hand close to the air outlet slowly.
- 2 Letting the back of the hand close to the air outlet slowly.
- 3 Rub both hands one another.

Loosen the screws at each side of the dryer.

Take the dryer front cover off and then fix machine on the wall with the enclosed screws.

Put the cover back on and fasten the screws.

### Maintenance

Cleaning the Unit body  
Before it gets obviously dirty

- Clean unit with a soft cloth. If unit gets very dirty, clean with a soft cloth dampened with neutral agent, then clean with a dry soft cloth.
- Remove the dirt from the sensor. (This will prevent malfunctions)

**WARNING**

- Before you clean the unit, pull the plug out from the socket-outlet, Cut off the power.

**Note**

- Only use neutral cleaning products.
- Do not use thinners, acidic or alkaline toilet cleaners, or nylon brush.
- If chemical cloths used, please read their instructions first.
- Disinfectants or alcohol based cleaning agents may damage your hand dryer.

1. For shell marks, please cut off power first and use soft cloth dipped neutral detergent to smear and then smear clean. The acid or alkaline detergent in bathroom like benzene, lacquer thinner and abrasives, are absolutely not applied. Moreover, you must not use nylon brush or brush broom to smear the apparatus, in order to avoid scratches and lacerations.
2. During the cleaning, you should prevent the water drop into the machines in order to avoid electric shock or short circuit.
3. The machine should pull out or shut down power at off duty time, which can long the service life for the machine.
4. It is forbidden to decompose, repair and transform the aircraft without professional persons, or else it might cause electric shock, fire and other accidents.
5. If the machine breaks down, let professional repair technicians to repair.

### Specification

<b>Voltage</b>	<b>AC220V- 240V/ 50Hz</b>
<b>Rated Power</b>	<b>1450W</b>
<b>Sensor Range</b>	<b>50~120MM</b>
<b>Wind Speed</b>	<b>&gt;90M/S</b>
<b>Air Temperature</b>	<b>&gt;54°C</b>
<b>Net Weight</b>	<b>4.5 KGS</b>
<b>Dimensions</b>	<b>W320x D293 x H163(mm)</b>
<b>Waterproof Rating</b>	<b>IPX1</b>
<b>Electric Shock Protection</b>	<b>Class I</b>